

参考表 アルコール分分析における読替え表（1）

読替え前の 値(vol%)	読替え後の 値(vol%)	読替え前の 値(vol%)	読替え後の 値(vol%)	読替え前の 値(vol%)	読替え後の 値(vol%)	読替え前の 値(vol%)	読替え後の 値(vol%)
0.1	0.0	3.6	3.5	7.1	7.0	10.6	10.5
0.2	0.1	3.7	3.6	7.2	7.1	10.7	10.6
0.3	0.2	3.8	3.7	7.3	7.2	10.8	10.7
0.4	0.3	3.9	3.8	7.4	7.3	10.9	10.8
0.5	0.4	4.0	4.0	7.5	7.4	11.0	10.9
0.6	0.5	4.1	4.1	7.6	7.5	11.1	11.0
0.7	0.6	4.2	4.2	7.7	7.6	11.2	11.1
0.8	0.7	4.3	4.3	7.8	7.7	11.3	11.2
0.9	0.8	4.4	4.4	7.9	7.8	11.4	11.3
1.0	0.9	4.5	4.5	8.0	7.9	11.5	11.4
1.1	1.0	4.6	4.6	8.1	8.0	11.6	11.5
1.2	1.1	4.7	4.7	8.2	8.1	11.7	11.6
1.3	1.2	4.8	4.8	8.3	8.2	11.8	11.7
1.4	1.3	4.9	4.9	8.4	8.3	11.9	11.8
1.5	1.4	5.0	5.0	8.5	8.4	12.0	11.9
1.6	1.5	5.1	5.1	8.6	8.5	12.1	12.0
1.7	1.7	5.2	5.2	8.7	8.6	12.2	12.1
1.8	1.8	5.3	5.3	8.8	8.7	12.3	12.2
1.9	1.9	5.4	5.4	8.9	8.8	12.4	12.3
2.0	2.0	5.5	5.5	9.0	8.9	12.5	12.4
2.1	2.1	5.6	5.6	9.1	9.0	12.6	12.5
2.2	2.2	5.7	5.7	9.2	9.1	12.7	12.6
2.3	2.3	5.8	5.8	9.3	9.2	12.8	12.7
2.4	2.3	5.9	5.9	9.4	9.3	12.9	12.8
2.5	2.4	6.0	6.0	9.5	9.4	13.0	12.9
2.6	2.5	6.1	6.1	9.6	9.5	13.1	13.0
2.7	2.6	6.2	6.2	9.7	9.6	13.2	13.1
2.8	2.7	6.3	6.3	9.8	9.7	13.3	13.2
2.9	2.8	6.4	6.4	9.9	9.8	13.4	13.3
3.0	2.9	6.5	6.5	10.0	9.9	13.5	13.4
3.1	3.0	6.6	6.5	10.1	10.0	13.6	13.5
3.2	3.1	6.7	6.6	10.2	10.1	13.7	13.6
3.3	3.2	6.8	6.7	10.3	10.2	13.8	13.7
3.4	3.3	6.9	6.8	10.4	10.3	13.9	13.8
3.5	3.4	7.0	6.9	10.5	10.4	14.0	13.9

注) この表は、JIS B 7548:2009(酒精度浮ひょう)附属書B(参考)「指示値の読替え表」に基づき作成されている。

なお、作成にあたっては、読替え後の値について小数点以下2桁目を切り捨てた。

参考表 アルコール分分析における読替え表（2）

読替え前の 値(vol%)	読替え後の 値(vol%)	読替え前の 値(vol%)	読替え後の 値(vol%)	読替え前の 値(vol%)	読替え後の 値(vol%)	読替え前の 値(vol%)	読替え後の 値(vol%)
14.1	14.0	17.6	17.5	21.1	21.0	24.6	24.5
14.2	14.2	17.7	17.6	21.2	21.1	24.7	24.6
14.3	14.3	17.8	17.7	21.3	21.2	24.8	24.7
14.4	14.4	17.9	17.8	21.4	21.3	24.9	24.8
14.5	14.5	18.0	17.9	21.5	21.4	25.0	24.9
14.6	14.6	18.1	18.0	21.6	21.5	25.1	25.0
14.7	14.7	18.2	18.1	21.7	21.6	25.2	25.1
14.8	14.8	18.3	18.2	21.8	21.7	25.3	25.2
14.9	14.9	18.4	18.3	21.9	21.8	25.4	25.3
15.0	15.0	18.5	18.4	22.0	21.9	25.5	25.4
15.1	15.1	18.6	18.5	22.1	22.0	25.6	25.5
15.2	15.2	18.7	18.6	22.2	22.1	25.7	25.6
15.3	15.3	18.8	18.7	22.3	22.2	25.8	25.7
15.4	15.4	18.9	18.8	22.4	22.3	25.9	25.8
15.5	15.5	19.0	18.9	22.5	22.4	26.0	25.9
15.6	15.6	19.1	19.0	22.6	22.5	26.1	26.0
15.7	15.7	19.2	19.1	22.7	22.6	26.2	26.1
15.8	15.8	19.3	19.2	22.8	22.7	26.3	26.2
15.9	15.9	19.4	19.3	22.9	22.8	26.4	26.3
16.0	16.0	19.5	19.4	23.0	22.9	26.5	26.4
16.1	16.1	19.6	19.5	23.1	23.0	26.6	26.5
16.2	16.1	19.7	19.6	23.2	23.1	26.7	26.6
16.3	16.2	19.8	19.7	23.3	23.2	26.8	26.7
16.4	16.3	19.9	19.8	23.4	23.3	26.9	26.9
16.5	16.4	20.0	19.9	23.5	23.4	27.0	27.0
16.6	16.5	20.1	20.0	23.6	23.5	27.1	27.1
16.7	16.6	20.2	20.1	23.7	23.6	27.2	27.2
16.8	16.7	20.3	20.2	23.8	23.7	27.3	27.3
16.9	16.8	20.4	20.3	23.9	23.8	27.4	27.4
17.0	16.9	20.5	20.4	24.0	23.9	27.5	27.5
17.1	17.0	20.6	20.5	24.1	24.0	27.6	27.6
17.2	17.1	20.7	20.6	24.2	24.1	27.7	27.7
17.3	17.2	20.8	20.7	24.3	24.2	27.8	27.8
17.4	17.3	20.9	20.8	24.4	24.3	27.9	27.9
17.5	17.4	21.0	20.9	24.5	24.4	28.0	28.0

参考表 アルコール分分析における読替え表（3）

読替え前の 値(vol%)	読替え後の 値(vol%)	読替え前の 値(vol%)	読替え後の 値(vol%)	読替え前の 値(vol%)	読替え後の 値(vol%)	読替え前の 値(vol%)	読替え後の 値(vol%)
28.1	28.1	31.6	31.5	35.1	34.9	38.6	38.4
28.2	28.2	31.7	31.6	35.2	35.0	38.7	38.5
28.3	28.3	31.8	31.7	35.3	35.1	38.8	38.6
28.4	28.4	31.9	31.8	35.4	35.2	38.9	38.7
28.5	28.5	32.0	31.9	35.5	35.3	39.0	38.8
28.6	28.6	32.1	32.0	35.6	35.4	39.1	38.9
28.7	28.7	32.2	32.1	35.7	35.5	39.2	39.0
28.8	28.8	32.3	32.2	35.8	35.6	39.3	39.1
28.9	28.9	32.4	32.3	35.9	35.7	39.4	39.2
29.0	28.9	32.5	32.4	36.0	35.8	39.5	39.3
29.1	29.0	32.6	32.5	36.1	35.9	39.6	39.4
29.2	29.1	32.7	32.6	36.2	36.0	39.7	39.5
29.3	29.2	32.8	32.7	36.3	36.1	39.8	39.6
29.4	29.3	32.9	32.8	36.4	36.2	39.9	39.7
29.5	29.4	33.0	32.9	36.5	36.3	40.0	39.8
29.6	29.5	33.1	33.0	36.6	36.4	40.1	39.9
29.7	29.6	33.2	33.1	36.7	36.5	40.2	40.0
29.8	29.7	33.3	33.2	36.8	36.6	40.3	40.1
29.9	29.8	33.4	33.3	36.9	36.7	40.4	40.2
30.0	29.9	33.5	33.4	37.0	36.8	40.5	40.3
30.1	30.0	33.6	33.5	37.1	36.9	40.6	40.4
30.2	30.1	33.7	33.5	37.2	37.0	40.7	40.5
30.3	30.2	33.8	33.6	37.3	37.1	40.8	40.7
30.4	30.3	33.9	33.7	37.4	37.2	40.9	40.8
30.5	30.4	34.0	33.8	37.5	37.3	41.0	40.9
30.6	30.5	34.1	33.9	37.6	37.4	41.1	41.0
30.7	30.6	34.2	34.0	37.7	37.5	41.2	41.1
30.8	30.7	34.3	34.1	37.8	37.6	41.3	41.2
30.9	30.8	34.4	34.2	37.9	37.7	41.4	41.3
31.0	30.9	34.5	34.3	38.0	37.8	41.5	41.4
31.1	31.0	34.6	34.4	38.1	37.9	41.6	41.5
31.2	31.1	34.7	34.5	38.2	38.0	41.7	41.6
31.3	31.2	34.8	34.6	38.3	38.1	41.8	41.7
31.4	31.3	34.9	34.7	38.4	38.2	41.9	41.8
31.5	31.4	35.0	34.8	38.5	38.3	42.0	41.9

参考表 アルコール分分析における読替え表（４）

読替え前の 値(vol%)	読替え後の 値(vol%)	読替え前の 値(vol%)	読替え後の 値(vol%)	読替え前の 値(vol%)	読替え後の 値(vol%)	読替え前の 値(vol%)	読替え後の 値(vol%)
42.1	42.0	45.6	45.4	49.1	48.9	52.6	52.4
42.2	42.1	45.7	45.5	49.2	49.0	52.7	52.5
42.3	42.2	45.8	45.6	49.3	49.1	52.8	52.6
42.4	42.3	45.9	45.7	49.4	49.2	52.9	52.7
42.5	42.4	46.0	45.8	49.5	49.3	53.0	52.8
42.6	42.5	46.1	45.9	49.6	49.4	53.1	52.9
42.7	42.6	46.2	46.0	49.7	49.5	53.2	53.0
42.8	42.7	46.3	46.1	49.8	49.6	53.3	53.1
42.9	42.8	46.4	46.2	49.9	49.7	53.4	53.2
43.0	42.9	46.5	46.3	50.0	49.8	53.5	53.3
43.1	43.0	46.6	46.4	50.1	49.9	53.6	53.4
43.2	43.1	46.7	46.5	50.2	50.0	53.7	53.5
43.3	43.2	46.8	46.6	50.3	50.1	53.8	53.6
43.4	43.3	46.9	46.7	50.4	50.2	53.9	53.7
43.5	43.4	47.0	46.8	50.5	50.3	54.0	53.8
43.6	43.5	47.1	46.9	50.6	50.4	54.1	53.9
43.7	43.6	47.2	47.0	50.7	50.5	54.2	54.0
43.8	43.6	47.3	47.1	50.8	50.6	54.3	54.1
43.9	43.7	47.4	47.2	50.9	50.7	54.4	54.2
44.0	43.8	47.5	47.3	51.0	50.8	54.5	54.3
44.1	43.9	47.6	47.4	51.1	50.9	54.6	54.4
44.2	44.0	47.7	47.5	51.2	51.0	54.7	54.5
44.3	44.1	47.8	47.6	51.3	51.1	54.8	54.6
44.4	44.2	47.9	47.7	51.4	51.2	54.9	54.7
44.5	44.3	48.0	47.8	51.5	51.3	55.0	54.8
44.6	44.4	48.1	47.9	51.6	51.4	55.1	54.9
44.7	44.5	48.2	48.0	51.7	51.5	55.2	55.0
44.8	44.6	48.3	48.1	51.8	51.6	55.3	55.1
44.9	44.7	48.4	48.2	51.9	51.7	55.4	55.2
45.0	44.8	48.5	48.3	52.0	51.8	55.5	55.3
45.1	44.9	48.6	48.4	52.1	51.9	55.6	55.4
45.2	45.0	48.7	48.5	52.2	52.0	55.7	55.5
45.3	45.1	48.8	48.6	52.3	52.1	55.8	55.6
45.4	45.2	48.9	48.7	52.4	52.2	55.9	55.7
45.5	45.3	49.0	48.8	52.5	52.3	56.0	55.8

参考表 アルコール分分析における読替え表（5）

読替え前の 値(vol%)	読替え後の 値(vol%)	読替え前の 値(vol%)	読替え後の 値(vol%)	読替え前の 値(vol%)	読替え後の 値(vol%)	読替え前の 値(vol%)	読替え後の 値(vol%)
56.1	55.9	59.6	59.4	63.1	62.9	66.6	66.4
56.2	56.0	59.7	59.5	63.2	63.0	66.7	66.5
56.3	56.1	59.8	59.6	63.3	63.1	66.8	66.6
56.4	56.2	59.9	59.7	63.4	63.2	66.9	66.7
56.5	56.3	60.0	59.8	63.5	63.3	67.0	66.9
56.6	56.4	60.1	59.9	63.6	63.4	67.1	66.9
56.7	56.5	60.2	60.0	63.7	63.5	67.2	67.0
56.8	56.6	60.3	60.1	63.8	63.6	67.3	67.1
56.9	56.7	60.4	60.2	63.9	63.7	67.4	67.2
57.0	56.8	60.5	60.3	64.0	63.8	67.5	67.3
57.1	56.9	60.6	60.4	64.1	63.9	67.6	67.4
57.2	57.0	60.7	60.5	64.2	64.0	67.7	67.5
57.3	57.1	60.8	60.6	64.3	64.1	67.8	67.6
57.4	57.2	60.9	60.7	64.4	64.2	67.9	67.7
57.5	57.3	61.0	60.8	64.5	64.3	68.0	67.8
57.6	57.4	61.1	60.9	64.6	64.4	68.1	67.9
57.7	57.5	61.2	61.0	64.7	64.5	68.2	68.0
57.8	57.6	61.3	61.1	64.8	64.6	68.3	68.1
57.9	57.7	61.4	61.2	64.9	64.7	68.4	68.2
58.0	57.8	61.5	61.3	65.0	64.8	68.5	68.3
58.1	57.9	61.6	61.4	65.1	64.9	68.6	68.4
58.2	58.0	61.7	61.5	65.2	65.0	68.7	68.5
58.3	58.1	61.8	61.6	65.3	65.1	68.8	68.6
58.4	58.2	61.9	61.7	65.4	65.2	68.9	68.7
58.5	58.3	62.0	61.8	65.5	65.3	69.0	68.8
58.6	58.4	62.1	61.9	65.6	65.4	69.1	68.9
58.7	58.5	62.2	62.0	65.7	65.5	69.2	69.0
58.8	58.6	62.3	62.1	65.8	65.6	69.3	69.1
58.9	58.7	62.4	62.2	65.9	65.7	69.4	69.2
59.0	58.8	62.5	62.3	66.0	65.8	69.5	69.3
59.1	58.9	62.6	62.4	66.1	65.9	69.6	69.4
59.2	59.0	62.7	62.5	66.2	66.0	69.7	69.5
59.3	59.1	62.8	62.6	66.3	66.1	69.8	69.6
59.4	59.2	62.9	62.7	66.4	66.2	69.9	69.7
59.5	59.3	63.0	62.8	66.5	66.3	70.0	69.8

参考表 アルコール分分析における読替え表（6）

読替え前の 値(vol%)	読替え後の 値(vol%)	読替え前の 値(vol%)	読替え後の 値(vol%)	読替え前の 値(vol%)	読替え後の 値(vol%)	読替え前の 値(vol%)	読替え後の 値(vol%)
70.1	69.9	73.6	73.5	77.1	77.0	80.6	80.5
70.2	70.0	73.7	73.6	77.2	77.1	80.7	80.6
70.3	70.1	73.8	73.7	77.3	77.2	80.8	80.7
70.4	70.2	73.9	73.8	77.4	77.3	80.9	80.8
70.5	70.3	74.0	73.9	77.5	77.4	81.0	80.9
70.6	70.4	74.1	74.0	77.6	77.5	81.1	81.0
70.7	70.5	74.2	74.1	77.7	77.6	81.2	81.1
70.8	70.6	74.3	74.2	77.8	77.7	81.3	81.2
70.9	70.7	74.4	74.3	77.9	77.8	81.4	81.3
71.0	70.8	74.5	74.4	78.0	77.9	81.5	81.4
71.1	70.9	74.6	74.5	78.1	78.0	81.6	81.5
71.2	71.0	74.7	74.6	78.2	78.1	81.7	81.6
71.3	71.1	74.8	74.7	78.3	78.2	81.8	81.7
71.4	71.2	74.9	74.8	78.4	78.3	81.9	81.8
71.5	71.3	75.0	74.9	78.5	78.4	82.0	81.8
71.6	71.5	75.1	75.0	78.6	78.5	82.1	81.9
71.7	71.6	75.2	75.1	78.7	78.6	82.2	82.0
71.8	71.7	75.3	75.2	78.8	78.7	82.3	82.1
71.9	71.8	75.4	75.3	78.9	78.8	82.4	82.2
72.0	71.9	75.5	75.4	79.0	78.9	82.5	82.3
72.1	72.0	75.6	75.5	79.1	79.0	82.6	82.4
72.2	72.1	75.7	75.6	79.2	79.1	82.7	82.5
72.3	72.2	75.8	75.7	79.3	79.2	82.8	82.6
72.4	72.3	75.9	75.8	79.4	79.3	82.9	82.7
72.5	72.4	76.0	75.9	79.5	79.4	83.0	82.8
72.6	72.5	76.1	76.0	79.6	79.5	83.1	82.9
72.7	72.6	76.2	76.1	79.7	79.6	83.2	83.0
72.8	72.7	76.3	76.2	79.8	79.7	83.3	83.1
72.9	72.8	76.4	76.3	79.9	79.8	83.4	83.2
73.0	72.9	76.5	76.4	80.0	79.9	83.5	83.3
73.1	73.0	76.6	76.5	80.1	80.0	83.6	83.4
73.2	73.1	76.7	76.6	80.2	80.1	83.7	83.5
73.3	73.2	76.8	76.7	80.3	80.2	83.8	83.6
73.4	73.3	76.9	76.8	80.4	80.3	83.9	83.7
73.5	73.4	77.0	76.9	80.5	80.4	84.0	83.8

参考表 アルコール分分析における読替え表（7）

読替え前の 値(vol%)	読替え後の 値(vol%)	読替え前の 値(vol%)	読替え後の 値(vol%)	読替え前の 値(vol%)	読替え後の 値(vol%)	読替え前の 値(vol%)	読替え後の 値(vol%)
84.1	83.9	87.6	87.4	91.1	90.9	94.6	94.5
84.2	84.0	87.7	87.5	91.2	91.0	94.7	94.6
84.3	84.1	87.8	87.6	91.3	91.1	94.8	94.6
84.4	84.2	87.9	87.7	91.4	91.2	94.9	94.7
84.5	84.3	88.0	87.8	91.5	91.4	95.0	94.8
84.6	84.4	88.1	87.9	91.6	91.5	95.1	94.9
84.7	84.5	88.2	88.0	91.7	91.6	95.2	95.0
84.8	84.6	88.3	88.1	91.8	91.7	95.3	95.1
84.9	84.7	88.4	88.2	91.9	91.8	95.4	95.2
85.0	84.8	88.5	88.3	92.0	91.9	95.5	95.3
85.1	84.9	88.6	88.4	92.1	92.0	95.6	95.4
85.2	85.0	88.7	88.5	92.2	92.1	95.7	95.5
85.3	85.1	88.8	88.6	92.3	92.2	95.8	95.6
85.4	85.2	88.9	88.7	92.4	92.3	95.9	95.7
85.5	85.3	89.0	88.8	92.5	92.4	96.0	95.8
85.6	85.4	89.1	88.9	92.6	92.5	96.1	95.9
85.7	85.5	89.2	89.0	92.7	92.6	96.2	96.0
85.8	85.6	89.3	89.1	92.8	92.7	96.3	96.1
85.9	85.7	89.4	89.2	92.9	92.8	96.4	96.2
86.0	85.8	89.5	89.3	93.0	92.8	96.5	96.3
86.1	85.9	89.6	89.4	93.1	93.0	96.6	96.5
86.2	86.0	89.7	89.5	93.2	93.1	96.7	96.6
86.3	86.1	89.8	89.6	93.3	93.2	96.8	96.7
86.4	86.2	89.9	89.7	93.4	93.3	96.9	96.8
86.5	86.3	90.0	89.8	93.5	93.4	97.0	96.9
86.6	86.4	90.1	89.9	93.6	93.5	97.1	97.0
86.7	86.5	90.2	90.0	93.7	93.6	97.2	97.1
86.8	86.6	90.3	90.1	93.8	93.7	97.3	97.2
86.9	86.7	90.4	90.2	93.9	93.8	97.4	97.3
87.0	86.8	90.5	90.3	94.0	93.9	97.5	97.4
87.1	86.9	90.6	90.4	94.1	94.0	97.6	97.5
87.2	87.0	90.7	90.5	94.2	94.1	97.7	97.6
87.3	87.1	90.8	90.6	94.3	94.2	97.8	97.7
87.4	87.2	90.9	90.7	94.4	94.3	97.9	97.8
87.5	87.3	91.0	90.8	94.5	94.4	98.0	97.9

参考表 アルコール分分析における読替え表（8）

読替え前の 値(vol%)	読替え後の 値(vol%)						
98.1	98.0						
98.2	98.1						
98.3	98.2						
98.4	98.3						
98.5	98.4						
98.6	98.5						
98.7	98.6						
98.8	98.7						
98.9	98.8						
99.0	98.9						
99.1	99.0						
99.2	99.1						
99.3	99.2						
99.4	99.3						
99.5	99.4						
99.6	99.5						
99.7	99.6						
99.8	99.7						
99.9	99.8						
100.0	99.9						